

(FILE 'USPAT' ENTERED AT 12:14:31 ON 15 AUG 1999)

L1 1871 S HEAD (3W) DISPLAY#  
L2 93031 S MANUAL? (4A) (SWITCH## OR CONTROL? OR KEY# OR BUTTON#)  
L3 58445 S POSITION# (3A) (DETECT?)  
L4 74283 S L2 (P) CONTROL?  
L5 29 S L1 AND L3 AND L4  
L6 14 S 345/CLAS AND L5  
L7 15 S L5 NOT L6  
E FAN/IN  
L8 466 S E1-E167  
L9 1 S L8 AND 345/7-8/CCLST  
L10 18 S (SWITCH## OR KEY# OR BUTTON#) (3A) L1  
L11 1480 S L1 AND CONTROL?  
L12 16 S L11 AND L10  
SAVE L12-L1 TEMP/L

=> d 1- pno

1.	5,768,242	[IMAGE AVAILABLE]
2.	5,594,563	[IMAGE AVAILABLE]
3.	5,523,886	[IMAGE AVAILABLE]
4.	5,497,271	[IMAGE AVAILABLE]
5.	5,351,071	[IMAGE AVAILABLE]
6.	4,979,641	[IMAGE AVAILABLE]
7.	4,947,280	[IMAGE AVAILABLE]
8.	4,936,896	[IMAGE AVAILABLE]
9.	4,926,007	[IMAGE AVAILABLE]
10.	4,819,093	[IMAGE AVAILABLE]
11.	4,691,252	[IMAGE AVAILABLE]
12.	4,667,509	[IMAGE AVAILABLE]
13.	4,637,022	[IMAGE AVAILABLE]
14.	4,559,555	[IMAGE AVAILABLE]
15.	4,081,614	[IMAGE AVAILABLE]

(FILE 'USPAT' ENTERED AT 13:43:58 ON 15 AUG 1999)

```
L1      9114 S DISPLAY (3A) (CONTROLLER#)
L2      42 S L1 (4A) (PAUSE# OR STOP# OR HALT# OR SUSPEND#)
L3      21282 S 345/CLAS
L4      13 S L3 AND L2
L5      4 S L4 AND (KEY# OR BUTTON#)
        ACT HEADUP/L
        -----
L6 (    2618)SEA FILE=USPAT HEAD (4A) DISPLAY#
L7 (    111527)SEA FILE=USPAT CONTROL (3A) (BUTTON# OR SWITCH## OR KEY#)
L8 (    390)SEA FILE=USPAT L6 AND L7
L9 (    183096)SEA FILE=USPAT CONTROLLER#
L10 (    169)SEA FILE=USPAT L8 AND L9
L11 (    9)SEA FILE=USPAT 345/8/CCLST AND L10
L12 (    75814)SEA FILE=USPAT CAMERA#
L13 (    42)SEA FILE=USPAT L10 AND L12
L14 (    5)SEA FILE=USPAT L13 AND L11
L15 (    9375)SEA FILE=USPAT (USER# OR OBSERVER#) (3A) (DETECT? OR OBSER
V##
L16 (    5)SEA FILE=USPAT L13 AND L15
L17 (    3853)SEA FILE=USPAT L9 (3A) STOP#
L18 (    5)SEA FILE=USPAT L8 AND L17
        -----
        ACT TEMP/L
        -----
L19 (    1871)SEA FILE=USPAT HEAD (3W) DISPLAY#
L20 (    93031)SEA FILE=USPAT MANUAL? (4A) (SWITCH## OR CONTROL? OR KEY#
OR
L21 (    58445)SEA FILE=USPAT POSITION# (3A) (DETECT?)
L22 (    74283)SEA FILE=USPAT L20 (P) CONTROL?
L23 (    29)SEA FILE=USPAT L19 AND L21 AND L22
L24 (    14)SEA FILE=USPAT 345/CLAS AND L23
L25 (    15)SEA FILE=USPAT L23 NOT L24
L26 (    466)SEA FILE=USPAT ("FAMULINER, JAMES R"/IN OR "FAMULOK, MICHA
EL"
L27 (    1)SEA FILE=USPAT L26 AND 345/7-8/CCLST
L28 (    18)SEA FILE=USPAT (SWITCH## OR KEY# OR BUTTON#) (3A) L19
L29 (    1480)SEA FILE=USPAT L19 AND CONTROL?
L30 (    16)SEA FILE=USPAT L29 AND L28
        -----
L31      5 S L18
L32      16 S L30
L33      2272 S (HALT# OR STOP# OR SUSPEND OR PAUSE) (3A) (DISPLAY OR DI
SPL
L34      1871 S L19
L35      39 S L33 AND L34
L36      6 S 345/8/CCLS AND L35
L37      274253 S (KEY# OR BUTTON#)
L38      566 S L37 (P) L33
L39      21282 S 345/CLAS
L40      71 S L39 AND L38
L41      250 S CONTROL? (P) L38
L42      31 S L41 AND L39
```

```

(FILE 'USPAT' ENTERED AT 13:43:58 ON 15 AUG 1999)
L1      9114 S DISPLAY (3A) (CONTROLLER#)
L2      42 S L1 (4A) (PAUSE# OR STOP# OR HALT# OR SUSPEND#)
L3      21282 S 345/CLAS
L4      13 S L3 AND L2
L5      4 S L4 AND (KEY# OR BUTTON#)
        ACT HEADUP/L
        -----
L6 (    2618)SEA FILE=USPAT HEAD (4A) DISPLAY#
L7 (    111527)SEA FILE=USPAT CONTROL (3A) (BUTTON# OR SWITCH## OR KEY#)
L8 (    390)SEA FILE=USPAT L6 AND L7
L9 (    183096)SEA FILE=USPAT CONTROLLER#
L10 (    169)SEA FILE=USPAT L8 AND L9
L11 (    9)SEA FILE=USPAT 345/8/CCLST AND L10
L12 (    75814)SEA FILE=USPAT CAMERA#
L13 (    42)SEA FILE=USPAT L10 AND L12
L14 (    5)SEA FILE=USPAT L13 AND L11
L15 (    9375)SEA FILE=USPAT (USER# OR OBSERVER#) (3A) (DETECT? OR OBSER
V##
L16 (    5)SEA FILE=USPAT L13 AND L15
L17 (    3853)SEA FILE=USPAT L9 (3A) STOP#
L18 (    5)SEA FILE=USPAT L8 AND L17
        -----
        ACT TEMP/L
        -----
L19 (    1871)SEA FILE=USPAT HEAD (3W) DISPLAY#
L20 (    93031)SEA FILE=USPAT MANUAL? (4A) (SWITCH## OR CONTROL? OR KEY#
OR
L21 (    58445)SEA FILE=USPAT POSITION# (3A) (DETECT?)
L22 (    74283)SEA FILE=USPAT L20 (P) CONTROL?
L23 (    29)SEA FILE=USPAT L19 AND L21 AND L22
L24 (    14)SEA FILE=USPAT 345/CLAS AND L23
L25 (    15)SEA FILE=USPAT L23 NOT L24
L26 (    466)SEA FILE=USPAT ("FAMULINER, JAMES R"/IN OR "FAMULOK, MICHA
EL"
L27 (    1)SEA FILE=USPAT L26 AND 345/7-8/CCLST
L28 (    18)SEA FILE=USPAT (SWITCH## OR KEY# OR BUTTON#) (3A) L19
L29 (    1480)SEA FILE=USPAT L19 AND CONTROL?
L30 (    16)SEA FILE=USPAT L29 AND L28
        -----
L31      5 S L18
L32      16 S L30
L33      2272 S (HALT# OR STOP# OR SUSPEND OR PAUSE) (3A) (DISPLAY OR DI
SPL
L34      1871 S L19
L35      39 S L33 AND L34
L36      6 S 345/8/CCLS AND L35
L37      274253 S (KEY# OR BUTTON#)
L38      566 S L37 (P) L33
L39      21282 S 345/CLAS
L40      71 S L39 AND L38
L41      250 S CONTROL? (P) L38
L42      31 S L41 AND L39

```

=> d 1-

1. 5,923,328, Jul. 13, 1999, Method and system for displaying a hierarchical sub-tree by selection of a user interface element in a

sub-tree bar control; James P. Griesmer, 345/357, 339, 345  
[IMAGE AVAILABLE]

2. 5,852,450, Dec. 22, 1998, Method and apparatus for processing captured motion data; Jeffrey Allyn Thingvold, 345/473, 328  
[IMAGE AVAILABLE]

3. 5,838,324, Nov. 17, 1998, Information processing apparatus for displaying a plurality of modes of operation thereof; Tomohiro Maekawa, et al., 345/352; 707/530 [IMAGE AVAILABLE]

4. 5,796,945, Aug. 18, 1998, Idle time multimedia viewer method and apparatus for collecting and displaying information according to user defined indicia; Robert M. Tarabella, 709/219; 345/327 [IMAGE AVAILABLE]

5. 5,790,094, Aug. 4, 1998, Apparatus for displaying machine operation guide; Hidekazu Tanigawa, et al., 345/146, 115, 127; 348/564.  
[IMAGE AVAILABLE]

6. 5,790,084, Aug. 4, 1998, Electronic transparency method and apparatus; Steven R. Hix, et al., 345/7, 87, 158; 348/744; 349/5; 353/21 [IMAGE AVAILABLE]

7. 5,715,515, Feb. 3, 1998, Method and apparatus for downloading on-screen graphics and captions to a television terminal; Glen L. Akins, III, et al., 455/4.1; 345/186; 348/6, 10; 455/6.2 [IMAGE AVAILABLE]

8. 5,653,887, Aug. 5, 1997, Apheresis blood processing method using pictorial displays; Terry R. Wahl, et al., 210/745; 345/150; 434/428; 604/6 [IMAGE AVAILABLE]

9. 5,633,657, May 27, 1997, Mouse driver arrangement for providing advanced scrolling capabilities to a conventional mouse; Fernando D. Falcon, 345/145, 123, 163 [IMAGE AVAILABLE]

10. 5,596,348, Jan. 21, 1997, Input apparatus; Masaharu Hayakawa, 345/146, 156; 348/163 [IMAGE AVAILABLE]

11. 5,526,011, Jun. 11, 1996, Electronic transparency with data storage medium; Steven R. Hix, et al., 345/87, 157, 507; 348/766; 353/122, DIG.3 [IMAGE AVAILABLE]

12. 5,483,468, Jan. 9, 1996, System and method for concurrent recording and displaying of system performance data; James N. Chen, et al., 702/186; 345/418 [IMAGE AVAILABLE]

13. 5,481,741, Jan. 2, 1996, Method and apparatus for providing attribute nodes in a graphical data flow environment; Greg McKaskle, et al., 345/522, 349, 967, 970; 364/274.1, 275.1, 281.3, 286, 286.3, DIG.1; 395/109 [IMAGE AVAILABLE]

14. 5,475,851, Dec. 12, 1995, Method and apparatus for improved local and global variable capabilities in a graphical data flow program; Jeffrey L. Kodosky, et al., 345/339, 349, 440, 967; 364/256.3, 259, 267.4, DIG.1; 395/117 [IMAGE AVAILABLE]

15. 5,475,402, Dec. 12, 1995, Display control apparatus and method; Keijiro Hijikata, 345/211, 3, 199 [IMAGE AVAILABLE]

16. 5,432,932, Jul. 11, 1995, System and method for dynamically controlling remote processes from a performance monitor; James N. Chen, et al., 709/103; 345/965; 364/234.3, 234.4, 264.5, DIG.1; 702/179 [IMAGE AVAILABLE]

17. 5,235,680, Aug. 10, 1993, Apparatus and method for communicating

textual and image information between a host computer and a remote display terminal; Leendes M. Bijlagte, 707/10; 345/302, 348/13; 379/93.25; 709/219, 247 [IMAGE AVAILABLE]

18. 5,101,197, Mar. 31, 1992, Electronic transparency method and apparatus; Steven R. Hix, et al., 345/87, 157, 507; 348/766; 353/122, DIG.3 [IMAGE AVAILABLE]

19. 5,081,449, Jan. 14, 1992, Method and apparatus for displaying image information; Yasuo Kurosu, et al., 345/115, 326 [IMAGE AVAILABLE]

20. 4,918,293, Apr. 17, 1990, Electrically operated appliance controls and methods of making the same; Gram J. McGeorge, 219/506, 492, 494; 340/584; 345/184 [IMAGE AVAILABLE]

21. 4,896,223, Jan. 23, 1990, Display and input device; Tuyoshi Todome, 358/468; 345/173; 358/444 [IMAGE AVAILABLE]

22. 4,841,454, Jun. 20, 1989, Display controller with a variable scrolling speed, and method for operating same; Koichi Awazu, 345/123, 121 [IMAGE AVAILABLE]

23. 4,761,540, Aug. 2, 1988, Electrically operated appliance controls and methods of making the same; Gram J. McGeorge, 219/506, 492; 340/584; 345/184 [IMAGE AVAILABLE]

24. 4,701,864, Oct. 20, 1987, Memory control apparatus for a CRT controller; Shigekazu Takashima, et al., 345/28, 507, 516 [IMAGE AVAILABLE]

25. 4,695,711, Sep. 22, 1987, Electrically operated appliance controls and methods of making the same; Gram J. McGeorge, 219/506, 492; 340/584; 345/184 [IMAGE AVAILABLE]

26. 4,426,684, Jan. 17, 1984, Scratch pad memory for cassette of magnetic tape recording; Claude Sechet, et al., 711/213; 345/115; 360/13; 364/927.2, 927.4, 927.92, 927.93, 928, 928.5, 929.2, 933.2, 933.9, 935, 935.2, 935.4, 939, 939.5, 940, 941, 941.1, 949, 949.2, 952, 952.4, 952.5, 952.6, 962, 962.1, 965, 965.5, DIG.2; 386/52 [IMAGE AVAILABLE]

27. 4,394,649, Jul. 19, 1983, Communication terminal providing user communication of high comprehension; Michael A. Suchoff, et al., 345/168; 379/93.23, 354, 356 [IMAGE AVAILABLE]

28. 4,158,759, Jun. 19, 1979, Microwave oven control system; William B. Mason, 219/720, 506, 712; 345/33, 168 [IMAGE AVAILABLE]

29. 3,943,505, Mar. 9, 1976, Automatic information system for the organization of gymnastic competitions; Albert Yazepovich Berzin, et al., 340/323R; 273/DIG.26; 345/168; 377/5 [IMAGE AVAILABLE]

30. 3,835,464, Sep. 10, 1974, POSITION INDICATOR FOR A DISPLAY SYSTEM; Ronald E. Rider, 345/164; 74/471XY; 178/18.01 [IMAGE AVAILABLE]

31. 3,812,489, May 21, 1974, DISPLAY DEVICE FOR USE IN A DESK TOP CALCULATOR; Reiji Hirano, et al., 345/211; 377/112 [IMAGE AVAILABLE]